



CODE PQS E005/010

ICE PACK Model BK V 4 H

Brand name Blowkings

Manufactured in INDIA

COMPANY NAME AND ADDRESS

Blowkings

53-C Mittal Court, Nariman Point-
Mumbai 400021

INDIA

Telephone: +91-22-22840120-

Fax +91-22-22831412--

E-mail: blowkings@vsnl.com

Website Blwokings.co.in

SPECIFICATIONS

Volume of Water per Pack	0.3 litres
Weight Filled	370 gms
Weight empty	70 gms
External dimensions	163 x 90 x 34 cm
External materials	High Density Polyethylene

COMMENTS

Test Report: PSB Singapore: EEC09/719162420/C DT 28 December 2009

PSB Singapore: 719170704-EEC10 Dt 25th March 2010


Verification protocol: E05/IP01.VP1: 2008

Prices based on INCOTERMS 2009

Quantity Price per unit - EX WORKS

Minimum Order:	225 Nos
Shipping weight per unit:	Packing 225/Carton Gross WT :22 kgs

Prequalified on 02 September 2010



CODE PQS E005/011

ICE PACK Model BK 4

Brand name Blowkings

Manufactured in INDIA

COMPANY NAME AND ADDRESS

Blowkings

53-C Mittal Court, Nariman Point-
Mumbai 400021

INDIA

Telephone: +91-22-22840120-

Fax +91-22-22831412--

E-mail: blowkings@vsnl.com

Website Blwokings.co.in

SPECIFICATIONS

Volume of Water per Pack	0.4 litres
Weight Filled	430 gms
Weight empty	70 gms
External dimensions	165 x 93 x 35 cm *
External materials	High Density Polyethylene

COMMENTS

Test Report: PSB Singapore: EEC09/719162420/B DT 28 December 2009

Verification protocol: E05/IP01.VP1: 2008

Prices based on INCOTERMS 2009

Quantity Price per unit - EX WORKS

1 unit

Minimum Order:

225 Nos

Shipping weight per unit:

Packing 225/Carton Gross WT :22 kgs

Prequalified on 02 September 2010

*All dimension subject to tolerances



CODE PQS E005/012

ICE PACK Model BK 6

Brand name Blowkings

Manufactured in INDIA

COMPANY NAME AND ADDRESS

Blowkings

53-C Mittal Court, Nariman Point-
Mumbai 400021

INDIA

Telephone: +91-22-22840120-

Fax +91-22-22831412--

E-mail: blowkings@vsnl.com

WebsiteBlwokings.co.in

SPECIFICATIONS

Volume of Water per Pack	0.6 litres
Weight Filled	655 gms
Weight empty	110 gms
External dimensions	190x 120 x35 cm
External materials	High Density Polyethylene

COMMENTS

Test Report: PSB Singapore: EEC09/719162420/A DT 28 December 2009

Verification protocol: E05/IP01.VP1: 2008

Prices based on INCOTERMS 2009

Quantity Price per unit - EX WORKS

1 unit

Minimum Order: 144 Nos

Shipping weight per unit: Packing 144/Carton Gross WT :22 kgs

Prequalified on 02 September 2010

**CODE PQS E004/022**

**Vaccine Carrier Model :VDC-24-CF-
Short Range Vaccine Carrier
Brand name Blowkings
Manufactured in INDIA**

COMPANY NAME AND ADDRESS**Blowkings-**

53-C Mittal Court, Nariman Point-
Mumbai 400021

INDIA

Telephone: +91-22-22840120-

Fax +91-22-22831412--

E-mail: blowkings@vsnl.com

Website Blwokings.co.in

SPECIFICATIONS

Vaccine storage capacity	0.9 litres
Weight fully loaded	2.2 kg
Weight empty	1.00 kg
External dimensions	22.5 x 16 x 25 cm
Internal dimensions	13 x 10 x 16.5 cm
Vaccine storage dimensions	6 x 10 x 16.5 cm
Lid type & fixing	Removable-
External materials	High density Polyethylene- (HDPE)
Internal lining materials	Polypropylene (PP)
Insulation materials	CFC FREE Polyurethane
Insulation thickness	28 mm.
Number of icepacks required	2
Number of icepacks supplied	2
Icepack type required	0.4 L compliant with PQS E005/IP01.2

PERFORMANCE

Cold life without openings	20- hours at 43°C
Warm life	06 hours at -20°C
Cool life	03 hours at 43°C

COMMENTS

Test Report: PSB Singapore: 719169972-EEC-10/01 Dt: 1 St April 2010
Verification Protocol: PQS E004/VC 01-VP.1:2008

2009 PRICES (Incoterms)

Quantity Price per unit - EX WORKS

1 unit

Minimum Order:

12 Units

Shipping weight per unit:

Packing 12 units/ Carton Gross Wt:12 kgs

Prequalified on 02 September 2010



CODE PQS E004/021

Vaccine Carrier Model : BK-VC 1.7-CF

Long Vaccine Carrier

Brand name Blowkings

Manufactured in INDIA

COMPANY NAME AND ADDRESS

Blowkings-

53-C Mittal Court, Nariman Point-
Mumbai 400021

INDIA

Telephone: +91-22-22840120-

Fax +91-22-22831412--

E-mail: blowkings@vsnl.com

Website Blwokings.co.in



SPECIFICATIONS

Vaccine storage capacity	1.7 litres
Weight fully loaded	4.0 kg
Weight empty	1.6 kg
External dimensions	26 x 25 x 28.5 cm
Internal dimensions	17 x 17 x 18.5 cm
Vaccine storage dimensions	10 x 10 x 17
Lid type & fixing	Removable-
External materials	High density Polyethylene (HDPE)
Internal lining materials	High density Polyethylene (HDPE)
Insulation materials	CFC Free Polyurethane Foam
Insulation thickness	40 MM mm.
Number of icepacks required	4
Number of icepacks supplied	4
Icepack type required	0.4 L compliant with PQS E005/IP01.2

PERFORMANCE

Cold life without openings	38 hours at 43°C
Warm life	13 hours at -20°C
Cool life	06 hours at 43°C

COMMENTS

Test Report: Test report: PSB Singapore: 719171438 -EEC10 Dt: 26 May 2010
Verification Protocol: PQS E004/VC01-VP.1:2008

Prices based on INCOTERMS 2009
Quantity Price per unit - EX WORKS

Minimum Order:	8 Units
Shipping weight per unit:	Packing 8/ Carton Gross WT: 20 kg

Prequalified on 02 September 2010

All Dimensions are subject to tolerances

Minimum Cold Life required by WHO protocol is 30 Hrs .Goods guaranteed for 30 Hrs as per WHO Protocol.



CODE PQS E004/020



Vaccine Carrier Model : BK-VC 2.6 -CF

Long Vaccine Carrier

Brand name Blowkings

Manufactured in INDIA

COMPANY NAME AND ADDRESS

Blowkings-

53-C Mittal Court, Nariman Point-
Mumbai 400021

INDIA

Telephone: +91-22-22840120-

Fax +91-22-22831412--

E-mail: blowkings@vsnl.com

Website Blwokings.co.in

SPECIFICATIONS

Vaccine storage capacity	2.6 litres
Weight fully loaded	4.5 kg
Weight empty	1.9 kg
External dimensions	26 x 26 x32 cm
Internal dimensions	19 x 19 x 22. 5 cm
Vaccine storage dimensions	11.5 x 11.5 x 19.5 cm
Lid type & fixing	Removable-
External materials	High density Polyethylene (HDPE)
Internal lining materials	High density Polyethylene (HDPE)
Insulation materials	CFC Free Polyurethane Foam
Insulation thickness	40 MM mm.
Number of icepacks required	4
Number of icepacks supplied	4
Icepack type required	0.6 L compliant with PQS E005/IP01.2

PERFORMANCE

Cold life without openings	43 hours at 43°C
Warm life	07 hours at -20°C
Cool life	18 hours at 43°C

COMMENTS

Test Report: Test report: PSB Singapore: S08EEC01362/AT/JT Dt: 28th July 2008
Verification Protocol: PQS E004/VC 01-VP.1:2008

Prices based on INCOTERMS 2009

Quantity Price per unit - EX WORKS

Minimum Order:

8 Units

Shipping weight per unit:

Packing 8/ Carton Gross WT: 24 kg

Prequalified on 02 September 2010



CODE PQS E004/Under Approval



Vaccine Carrier Model : BK-VC 3.4-CF

Long Vaccine Carrier

Brand name Blowkings

Manufactured in INDIA

COMPANY NAME AND ADDRESS

Blowkings-

53-C Mittal Court, Nariman Point-
Mumbai 400021

INDIA

Telephone: +91-22-22840120-

Fax +91-22-22831412--

E-mail: blowkings@vsnl.com

Website Blwokings.co.in

SPECIFICATIONS

Vaccine storage capacity	3.4 litres
Weight fully loaded	6.0 kg
Weight empty	2.55 kg
External dimensions	30.5x30.5x34 cm
Internal dimensions	16 x 16 x 120 cm
Vaccine storage dimensions	8.5x8.5x20 CM
Lid type & fixing	Removable-
External materials	High density Polyethylene (HDPE)
Internal lining materials	High density Polyethylene (HDPE)
Insulation materials	CFC Free Polyurethane Foam
Insulation thickness	40 MM mm.
Number of icepacks required	4
Number of icepacks supplied	4
Icepack type required	0.6 L compliant with PQS E005/IP01.2

PERFORMANCE

Cold life without openings 45 hours at 43°C

COMMENTS

Verification Protocol: PQS E004/VC01-VP.1:2008

Prices based on INCOTERMS 2009

Quantity Price per unit - EX WORKS

1 unit

Minimum Order:

8 Units

Shipping weight per unit:

Packing 4/ Carton Gross WT: 20 kg

BOX Dimensions:620x620x360 MM

Shipping Volume: 0.139 CBM

Prequalified on < date > to be left blank



CODE PQS E004/018



Cold Box Model : CB/12-CF

Long Range Cold Box

Brand Name :Blowkings

Manufactured in:INDIA

COMPANY NAME AND ADDRESS

Blowkings-

53-C Mittal Court, Nariman Point-
Mumbai 400021

INDIA

Telephone: +91-22-22840120-

Fax +91-22-22831412--

E-mail: blowkings@vsnl.com

WebsiteBlwokings.co.in

SPECIFICATIONS

Vaccine storage capacity	12 liters
Weight fully loaded	45 kg
Weight empty	20.4 kg
External dimensions	61 x 60 x 56 cm
Internal dimensions	34 x 33 x 34.8 cm
Vaccine storage dimensions	30 x 11 x 21 cm
Lid type & fixing	Hinged-
External materials	Linear Low Density Polyethylene (LLDPE)-
Internal lining materials	Linear Low Density Polyethylene (LLDPE)-
Insulation materials	CFC Free Polyurethane-
Insulation thickness	110--- mm.
Number of icepacks required	42
Number of icepacks supplied	42
Icepack type required	0.4 L compliant with PQS E005/IP01.2

PERFORMANCE

Cold life without openings	156 Hours at 43°C
Warm life	53 Hours at -20°C
Cool life	33 Hours at 43°C

COMMENTS

Test Report: PSB Singapore 719169974- EEC 10 Dt: 8th July 2010

Verification Protocol: PQS E004/CB01-VP.1:2008

Prices based on INCOTERMS 2009

Quantity Price per unit - EX WORKS

Shipping weight per unit:

Packing 1/ carton Gross Weight 21 kg

Prequalified on 02 September 2010



CODE PQS E004/018



Cold Box Model CB/55-CF-

Short Range Cold Box

Brand name : Blowkings-

Manufactured in INDIA

COMPANY NAME AND ADDRESS

Blowkings-

53-C Mittal Court, Nariman Point-

Mumbai 400021

INDIA

Telephone: +91-22-22840120-

Fax +91-22-22831412--

E-mail: blowkings@vsnl.com

Website Blwokings.co.in

SPECIFICATIONS

Vaccine storage capacity	7 liters
Weight fully loaded	23 kg
Weight empty	8.7 kg
External dimensions	49 x44 x 49 cm
Internal dimensions	35 X 28.5 x27 cm
Vaccine storage dimensions	28 x 21 x 16 .5 cm
Lid type & fixing	Hinged-
External materials	Linear Low Density Polyethylene (LLDPE)
Internal lining materials	Linear Low Density Polyethylene (LLDPE)-
Insulation materials	CFC Free Polyurethane
Insulation thickness	55 mm.
Number of icepacks required	24
Number of icepacks supplied	24
Icepack type required	0.4 - L compliant with PQS E005/IP01.2

PERFORMANCE

Cold life without openings	89 Hours at 43°C
Warm life	31 Hours at -20°C
Cool life	20 Hours at 43°C

COMMENTS

Test Report: PSB Singapore 719164472 EEC 09 Dt 26th May 2010-
Verification Protocol: PQS E004/CB01-VP.1:2008

Prices based on INCOTERMS 2009

Quantity Price per unit - EX WORKS

Shipping weight per unit:

Packing 1 unit /Carton Gross Wt:12 kg

Prequalified on 02 September 2010



CODE PQS E004/025

Cold Box Model : CB/20-CF

Long Range Cold Box

Brand Name :Blowkings

Manufactured in:INDIA

COMPANY NAME AND ADDRESS

Blowkings-

53-C Mittal Court, Nariman Point-
Mumbai 400021

INDIA

Telephone: +91-22-22840120-

Fax +91-22-22831412--

E-mail: blowkings@vsnl.com

WebsiteBlwokings.co.in

SPECIFICATIONS

Vaccine storage capacity	20 liters
Weight fully loaded	49.5 kg
Weight empty	25.0 kg
External dimensions	79.5(L) x 56.2 (W) x 56.5 (H) cm
Internal dimensions	53.0 (L) x 30.0 (W) x 32.0 (H) cm
Vaccine storage dimensions	53.0 (L) x 30.0 (W) x 32 (H) cm
Lid type & fixing	Hinged-
External materials	Linear Low Density Polyethylene (LLDPE)-
Internal lining materials	Linear Low Density Polyethylene (LLDPE)-
Insulation materials	CFC Free Polyurethane-
Insulation thickness	110--- mm.
Number of icepacks required	39
Number of icepacks supplied	39
Icepack type required	0.4 L compliant with PQS E005/IP01.2

PERFORMANCE

Cold life without openings	138 Hours at 43°C
Warm life	31 Hours at -20°C
Cool life	46 Hours at 43°C

COMMENTS

Test Report: PSB Singapore 719184761-EEC 10 Dt 21 Sep 2010

Verification Protocol: PQS E004/CB01-VP.1:2008

Prices based on INCOTERMS 2009

Quantity Price per unit - EX WORKS

Shipping weight per unit:

Packing 1/ carton Gross Weight 27 kg

Prequalified on 02 September 2010

¹All Dimensions are subject to tolerances

Minimum Cold Life required by WHO protocol is 96 Hrs .Goods guaranteed for 96 Hrs as per WHO Protocol.